

Front Right Hand Shown

OEM Hardware  
122 Nm / 90 lb-ft


17mm socket

Supplied Hardware  
105 Nm / 78 lb-ft

10mm hex bit  
(Allen Key)

OEM Disc Bolts  
73 Nm / 54 lb-ft

17mm socket

		<a href="http://www.powerbrake.co.za">www.powerbrake.co.za</a> <a href="http://www.powerbrakeglobal.com">www.powerbrakeglobal.com</a>	
Assembly diagram for bracket orientation and torque specs			
DATE:	2022/03/24		
VEHICLE:	Toyota Land Cruiser 80 Series		
KIT:	X6M / 350x34mm Stage-2		
PLATFORM CODE:	TOY10F		
Observe required torque specifications using an appropriate torque wrench / Do not use thread lockers on caliper mounting bolts			

<b>Brake Pad Replacement Part Numbers</b>	
<b>Manufacturer</b>	<b>Part #</b>
FMSI	D1116
Powerbrake PB01	5001-PB01
Powerbrake PB05	5001-PB05
Endless	RCP112xx
G-Loc	GP1365
Bendix Australia	DB1845U
Mintex	MDB3115
Mintex (Alternative)	MDB3116 (lower friction)
Ferodo (Street)	FDB4212 or FDS4212
Ferodo (Race)	FRP3100
Hawk Performance	HB616x:607
Hella Pagid (Street)	8DB 355 019-521
Pagid (Race)	8005
Febi Bilstein	116138
PFC	9195

*xx Designates manufacturer's friction compound. Select appropriate compound for application.  
Contact our Sales Office for more info if required.*

<b>Spare Part Numbers</b>	
<b>Description</b>	<b>Part #</b>
Disc / Rotor Ring LH	ATM350X34L
Disc / Rotor Ring RH	ATM350X34R
Disc hardware assembly kit (1 kit per ring)	PB501-SF
Caliper Seal Kit *	CSK-xx/xx/xx-O

*\* xx/xx/xx refers to the piston sizes of your X-Line caliper - lasered onto the inboard face of caliper body*